



medDispense® medLogic®

Powered by

Flexibility. Security. Efficiency.

One software platform, countless hardware configurations all working together to give you safer and more efficient automation across your clinical workflow.


TOUCHPOINTMED.COM BRINGING CARE FORWARD.™ The medDispense® series gives you the control and flexibility to choose the most efficient way to safely store and dispense medications.

medDispense*	C series	CS series	CT series	F series	L series	M series	V series
Storage Locations	800	1,200	1,400	1,248	324	1,440 Standard 2,160 XL	720
Single Dose Dispensing				√		✓	
Bulk Storage	√	✓	√				\checkmark
Progressive Drawer Access				✓		✓	
Pick-to-Light Guidance Technology				✓	✓	✓	*
Steel Construction				√	✓		\checkmark
Single Item Control	✓		✓	√	✓	✓	

^{*} Pick-to-light technology only available on steel front doors.

KEY BENEFITS















The Value of medDispense®

Medication security and workflow efficiency are crucial to the medication delivery process. medDispense® provides the widest range of interchangeable dispensing hardware, powered by medLogicTM a fully-integrated software platform.

Flexible Configurations.

All medDispense® cabinets are interchangeable, giving you the most flexibility and security for storing single dose and bulk items.



Easily Expand to Meet Your Changing Medication Storage Requirements

All medDispense® cabinets work together to meet both current and future needs.



A Wide Range of Configurations to Meet Your Capacity and Workflow Needs

Combine high security single dose dispensing alongside bulk storage. All medDispense equipment can be integrated and is powered by $medLogic^{TM}$.



Eliminate Space Constraint Challenges with an Array of Storage Size Options

Storage footprints available ranging from a small desktop unit to a large cabinet for bulk storage.



Highly Configurable Software & Hardware

With medLogicTM, you can easily configure user settings and security measures alongside hardware compartment layouts, offering you maximum system flexibility.

Safe and Secure Dispensing.

Designed to reduce the risk of medication errors and provide secure storage, medDispense® ensures proper safeguards are in place for each item you dispense.



Credentialed Access and Reporting

- All medications and supplies stored in a controlled, locked, and credentialed environment.
- The PharmacyCenter[™] software module provides visibility to remotely view and control inventory from the pharmacy.
- Control access to specific functions with user level permissions and role-based profiles.



Planning and Support

- Our Professional Services team works closely with you to ensure medication locations and security levels are optimized for your facility processes.
- System interfaces tailored by our Professional Services integrators.
- Remote technical support throughout the life of your equipment.



High Security Controlled Substance Storage

- Single dose dispensing with progressive steel drawers (complies with UK ECD regulations).
- Optional witness signature for removal, waste, return or override
- Discrepancy tracking and notification.
- The medGuardTMcontrolled substance management module provides system-wide visibility and management of controlled substance inventory.



Software Safeguards

- medLogic[™] powers all medDispense[®] cabinets with built-in safeguards such as precounts, patient medication profiles, receipt and label printing and configurable patient and medication searching.
- medGuard[™] controlled substance inventory management software provides a closed loop restocking process.
- Additional software safeguards:
 - Allergy alerts, duplicate dose alerts, bar code scanning, look-a-like sound alike alerts, tall man lettering.

Workflow Efficiency.

With medLogic[™] nurses and pharmacy staff can work smarter, not harder. Software modules such as NurSync[™] and PharmacyCenter[™] help drive efficiency into your daily workflow.



NurSync™ create a queue



PharmacyCenter™station management



 $medLogic^{TM}$ item retrieval

Remote Medication Queuing

Maximize time spent with patients and minimize time spent at the ADC with NurSyncTM remote medication queuing right from your AccessRx MD^{TM} cart or networked workstation.

Improved Inventory Level Visibility Across All medDispense® Cabinets

Quickly and easily manage inventory and reduce stock outs across all medDispense $^{\circ}$ cabinets in your facility with PharmacyCenter $^{\mathsf{TM}}$.

Intuitive User Interface


Patient demographics, medication profile and formulary managed via custom HL7 interface. Easy to navigate user interface reduces time spent at the ADC.



AccessRx MD™

$medLogic^{m}$

A complete continuum of integrated hardware and software that enables safe and efficient medication storage, dispensing and transport.



medLogic™Benefits.

The medLogic[™] software platform delivers increased efficiency and flexibility for your team and a safe environment for your patients.



EFFICIENCY

Support for Multi-item Kits

 Pharmacy can create pre-defined, multi-item kits for specific modalities, procedures or protocols.

Barcode Stocking

- Stock cabinets quickly and efficiently using the integrated wireless barcode scanner.
- Eliminate time spent with on screen typing, searching and selecting.

FIFO Stocking Workflow

- medLogic[™] items are dispensed first-in, first-out to optimize inventory lifecycle.
- Reduce expired medication expense.



SAFETY

Supports the UK NHS ECD Register

- Supports required requisition and dispense workflow and transaction logging.
- Inventory balance report.

On-demand Stock Report Generation by Item/Medication.

 One Click Restock Report Generation.

Configurable Medication Search

 Helps reduce dispensing errors with a configurable four-character medication search.

Lot Number Stocking

 Increase traceability of your medications when you need to know where they are.



FLEXIBILITY

Fractional Dose Stocking & Dispensing

- Dispense, return and waste functions support decimal values.
- · Reduce waste of medications.

Bulk Item Management

 Flexible charge capture rules for frequently dispensed bulk items.

High Definition and Laptop Display

 Now more flexible display options for PharmacyCenter[™] and NurSync[™] modules.



The medLogic[™] software is user-friendly and easy to operate – saving time and allowing you to focus on patient care.





medLogic™ modules improve workflow efficiency, safety and visibility so you can save time and focus on delivering exceptional patient care.



NurSync[®]

Remote Medication Queuing



medGuard

Controlled
Substance Inventory
Management




PharmacyCenter

Reporting and System Administration

NurSync[®]

The NurSync™ module enables nurses to reduce time spent at the dispensing cabinet station and increase time spent with patients.



Easy as 1 - 2 - 3

- Install the NurSync™ module to a computer assigned to the ADC unit such as your AccessPoint™ workstation.

AccessPoint™ AccessRx Exchange™

Log in to create, manage and delete patient medication queues.



NurSync™ main menu





Dispense your medications

AccessRx MD™

medGuard[™]


The medGuard[™] module enables facilities to store and track controlled substances from a secure, central location.



medGuard™ main menu

Ensure Controlled Substances Reach Their Final Specified medDispense® Cabinet

- Helps close the loop of medication delivery and monitors for potential diversion with controlled restocking access and software safeguards.
- Discrepancy tracking ensures the retrieval quantity recorded in medGuard™ matches the quantity restocked in the medDispense® cabinet.
- Optional end of shift counts with medGuard[™] provides additional traceability.



 $medGuard^{\text{TM}}\, med\, selection\, screen$

Easily View Controlled Substance Inventory of Your medDispense® Cabinets

- Create controlled substance restock reports for all cabinets.
- Control cabinet visibility by customizing user access.
- Global Item Locator and Global Inventory reports provide you instant access to your facility's controlled substance quantities and locations.
- Clear indicators of supply status at each medDispense® cabinet.



medDispense®V series with clear and steel doors.

Hardware Compatibility:

medGuard[™] can be installed on any medDispense[®] cabinet. medDispense[®] V series is particularly recommended for its configurable storage compartments.

PharmacyCenter

The PharmacyCenterTM module gives pharmacy the ability to manage medication across multiple medDispense[®] cabinets from one easy-to-use dashboard and reporting system.



PharmacyCenter™ main menu

PharmacyCenter™ Advantage

- ✓ Create reports
- ✓ Locate critical low items
- ✓ Configure inventory
- ✓ Identify out of stock items
- ✓ View discrepancies
- ✓ Configure cabinet settings
- ✓ Operator maintenance



Configure Inventory

Till AccessCenter		Second	de trough			to	-		N 140	-
hotel-Spot SG-SWG								4114	one .	
	-	-	MACRE	19130	-	_	-	200	2000	-
907								_	-	
Marie Control of the Street Con-	promotion and Miles	1941.65		-	+					
entrance in territoring free and reg		refree days		1977	* -	*			*	-
editor with the fell or high	(Ingention Indep 16)	(Section)		1116					10	
AND DESCRIPTION OF THE PARTY NAMED IN	Mark Court	- Interest		-	A115	*	*	. 4	R	_
And a court of the series	Bille Drug TB	See Asi		100						
Married by the series		1000	10	-		*3			10	
Prime III (band ng/III) a 14 urili	serve introduction	Steel 461		1.48						
place being Misch	Name of Street	New BELL		-		200		75	300	-
Administration (see Frequency (see Frequency (see	Proporting Tell	(specially)		2100	+				11	_
							100			
A STORAGE AND STREET OF	Sent Strepton	ingen des				*	*	*		
CONTRACTOR OF STREET	specifical P	(Marris and A		21100	400	*				-
marking they be to a line of		Chieff MX		MOR.	WID	08000	-	16	MC III	
No control of the part of the	A my list	Industrial State		490700					10	
	Special Street	-		-	*100	20				
electrical frameware 17 kg 11 g/M/ss		Marie 181		Awar						
MARCHITECTURE CO. NO. CO.		3461.001		-	400			4.		-
AND STREET PARTY AND PERSONS AND PERSONS ASSESSED.		Asiette		15-0					*	
infrare beinting für antling		(Merc 264)		700	100	*	*	7	4	=

Restock with Signature Report



Manage Stations



Report Scheduler

The PharmacyCenter™ module lets you manage and maintain your facility's automated dispensing cabinets from any PC.



Inventory management dashboard



Top usage report

Visibility and Management of Your Inventory Across All Cabinets

- Define specific storage locations for each medication or inventory item.
- Add, delete or modify a medication for the selected cabinet.
- · Verify item numbers, descriptions and set drug class.
- Monitor low, out of stock, or expiring medications.
- Manage what medications can be overridden.

Reporting that Matters

- Report on key metrics that matter to your facility, such as: inventory, top usage, transactions, controlled medications, and more.
- Choose from predefined parameters or customize your own.
- · Schedule and route reports (print, email and fax).
- Ad hoc custom reporting.

Single item control accommodates a wide range of medication sizes that require higher safety and security than open compartments.

medDispense® L series







Secure Single Line Item Access

- Compartments are robust and incorporate high strength locks.
- Items held within the compartments are hidden to increase security and protect from light.
- Steel construction supports the NHS Controlled Substance requirements.

Efficient Dispensing Technology

- The pick-to-light technology makes it easier and faster to locate and dispense the selected items.
- Lights guide you to the correct:
 - Cabinet
 - Drawer
 - Compartment

The medDispense® L series integrates with:

C series, CS series, CT series, F series, M series and V series.



High Capacity Configurations

• Single line item dispense. Nine different lid compartment sizes.

 Matrix drawer with four different depths (75mm, 100mm, 150mm and 200mm) to accommodate a range of medications.





medDispense® System

L series



Max Unit Capacity	324
Unit Dimensions	Width: 817mm (32.17in) Depth: 775mm (30.51in) Height: 1,025mm (40.35in)
Weight	440kgs (970.03lbs)
Max Number of Drawers	9
Material Construction	Steel frame and drawers.

L series **D**rawer and **S**torage **O**ptions

Multiple Lid Compartment Configurations

Module	Height	Width	Depth
1x1	55mm (2.17in) 105mm (4.13in)	99mm (3.90in)	66mm (2.60in)
2x1	55mm (2.17in) 105mm (4.13in)	198mm (7.80in)	66mm (2.60in)
3x1	55mm (2.17in) 105mm (4.13in)	299mm (11.77in)	66mm (2.60in)
2x2	55mm (2.17in) 105mm (4.13in)	198mm (7.80in)	163mm (6.42in)
3x2	55mm (2.17in) 105mm (4.13in)	299mm (11.77in)	163mm (6.42in)
3x3	55mm (2.17in) 105mm (4.13in)	299mm (11.77in)	260mm (10.24in)
6x1	55mm (2.17in) 105mm (4.13in)	599mm (23.58in)	66mm (2.60in)
6x2	55mm (2.17in) 105mm (4.13in)	599mm (23.58in)	163mm (6.42in)
6x3	55mm (2.17in) 105mm (4.13in)	599mm (23.58in)	260mm (10.24in)


Matrix Drawer Configurations

Module	Height (internal)	Width	Depth
Matrix 75	55mm (2.17in)	675mm (26.57in)	625mm (24.60in)
Matrix 100	80mm (3.15in)	675mm (26.57in)	625mm (24.60in)
Matrix 150	130mm (5.12in)	675mm (26.57in)	625mm (24.60in)
Matrix 200	180mm (7.09in)	675mm (26.57in)	625mm (24.60in)

The highest level of security with single dose dispensing to ensure access to only the quantity requested.

medDispense®





Highest Security Medication Dispensing

- Single dose steel compartments with up to 12 progressive drawer compartments to ensure access only to the medication requested.
- Steel construction supports the NHS Controlled Substance requirements.

Highly Configurable and Expandable

- Up to 15 different drawer sizes to accommodate the desired security level and item size.
- Supports two dispensing types:
 - Single dose
- Mixed mode

Efficient Dispensing Technology

- The pick-to-light technology makes it easier and faster to locate and dispense the selected items.
- Lights guide you to the correct:
 - Cabinet
 - Drawer

F series base unit

The medDispense® F series integrates with:

C series, CS series, CT series, L series, M series and V series.



Optional Adjustable Monitor Arm and Keyboard Tray

- External arm mount for monitor display.
- Left or right mounting options.
- Ergonomic positioning, forward and back adjustment.
- Keyboard folds up and out of the way.



Keyboard Storage

- Drawer stores and secures keyboard until ready for use.
- Features a built-in full size keyboard.
- Available on the standard or the mini.





medDispense® System

F series





Max Unit Capacity	1,248	1,248
Unit Dimensions	Auxiliary Unit: Width: 545mm (21.5in) Depth: 520mm (20.5in) Height: 2,003mm (78.6in)	Base Unit: Width: 545mm (21.5in) Depth: 520mm (20.5in) Height: 2,003mm (78.6in)
Weight	245kgs (540lbs)	245kgs (540lbs)
Material Construction	Steel frame and drawers.	Steel frame and drawers.

F series **D**rawer and **S**torage **O**ptions

Interior Drawer Dimensions

Drawer Type	Height	Width	Maximum Number of Compartments Per Drawer
А	23mm (0.90in)	97mm (3.81in)	12
AT	49mm (1.93in)	96mm (3.78in)	12
AA	23mm (0.90in) 23mm (0.90in)	250mm (9.84in) 97mm (3.81in)	12
В	68mm (2.67in)	97mm (3.81in)	12
ВВ	68mm (2.67in) 68mm (2.67in)	250mm (9.84in) 97mm (3.81in)	12
С	23mm (0.90in)	164mm (6.45in)	12
СТ	49mm (1.93in)	170mm (6.69in)	12
D	68mm (2.67in)	175mm (6.88in)	12
E	23mm (0.90in)	394mm (15.51in)	12
F	68mm (2.67in)	394mm (15.51in)	12
G	120mm (4.72in)	394mm (15.51in)	12
Н	175mm (6.88in)	394mm (15.51in)	12
J	170mm (6.69in)	175mm (6.88in)	12
Z	23mm (0.90in)	55mm (2.16in)	12
ZT	49mm (1.93in)	60mm (2.36in)	12

Z		Z	Z		Z	
А		A	A		А	
	Α	A			А	
В		E	3	В		
	В	В			В	
(0			(С	
[)		D			
ZT*	7	ZT*	ZT*		ZT*	
AT*		A ⁻	T*		AT*	
СТ	*	_	CT*			
		I	Ε			
		ı	F			
G						
Н						
				J		
lon standard drawer sizes available on request						

Non-standard drawer sizes available on request. *AT, CT, and ZT drawers must be used in pairs.

Delivers high capacity and high security in a small footprint.

medDispense® M series





High Security Medication Dispensing

- Single dose dispensing with up to 12 locations within a progressive drawer.
- "Easy Scoop" compartment design ensures smooth retrieval of items.


Easy to Reconfigure and Expand

- Up to five different drawer sizes to accommodate the desired security level and item size.
- Supports two dispensing types:
 - Single dose
 - Mixed mode


M series standard frame

The medDispense® M series integrates with:

C series, CS series, CT series, F series, L series and V series.



M series XL frame



Optional Adjustable Monitor Arm and Keyboard Tray

- External arm mount for monitor display.
- · Left or right mounting options.
- Ergonomic positioning, forward and back adjustment.
- Keyboard folds up and out of the way.



Efficient Dispensing Technology

- The pick-to-light technology makes it easier and faster to locate and dispense the selected items.
- Lights guide you to the correct:
- Cabinet
- Drawer



medDispense® System

M series





Max Unit Capacity	1,440 Standard	2,160 XL
Unit Dimensions	Standard Frame: Width: 544mm (21.42in) Depth: 518mm (20.39in) Height: 2,010mm (79.13in)	XL Frame: Width: 766mm (30.16in) Depth: 525mm (20.67in) Height: 2,010mm (79.13in)
Weight	140kgs (310lbs)	160kgs (350lbs)
Material Construction	Steel frame and polymer drawers.	Steel frame and polymer drawers.

M series Drawer and Storage Options

Dunning Time	Drav	ver Depth mm (Inc	Drawers Per Section*		
Drawer Type	Height	Width	Length (3)	Standard	XL
1x1	42mm (1.65in)	45mm (1.77in)	26mm (1.02in)	24	36
2x1	42mm (1.65in)	118mm (4.64in)	26mm (1.02in)	12	16+4 ⁽¹⁾
3x1	42mm (1.65in)	192mm (7.56in)	26mm (1.02in)	8	12
2x2	96mm (3.78in)	118mm (4.64in)	26mm (1.02in)	6	8+2 (2)
3x2	96mm (3.78in)	192mm (7.56in)	26mm (1.02in)	4	6

⁽¹⁾ XL 2x1 section contains 16 2x1 Drawers and 4 1x1 Drawers.

Example of Standard Frame Configuration

User Interface or 6 Level Electronic Cupboard								
1×1	1×1	1×1	1x1	1×1	1×1			
1x1	1x1	1x1	1x1	1×1	1x1			
1x1	1x1	1x1	1x1	1×1	1x1			
1x1	1x1	1x1	1x1	1x1	1x1			
2:	×1	2:	×1	2	x1			
2:	×1	2:	x1	2	x1			
2:	×1	2:	x1 2x1					
2:	×1	2:	2x1 2x1					
	3x1		3x1					
	3x1		3x1					
	3x1		3x1					
	3x1		3x1					
2>	2x2 2:			2x2 2x2				
2x2 2:			x2 2x2					
3x2			3x2					
3x2				3x2				

Example of XL Frame Configuration

User Interface or 6 Level Electronic Cupboard									
1x1	1x1	1x1	1x1	1x1	1x1	1x1	1x1	1x1	
1x1	1x1	1x1	1x1	1x1	1x1	1x1	1x1	1x1	
1x1	1x1	1x1	1x1	1x1	1x1	1x1	1x1	1x1	
1x1	1x1	1x1	1×1	1x1	1x1	1x1	1x1	1x1	
2:	×1	2:	< 1	2	x1	2:	x1	1x1	
2:	x1	2:	x 1	2	x1	2:	×1	1x1	
2:	x1	2:	k 1	2x1		2x1		1x1	
2:	x1	2:	x 1	2x1		2x1		1x1	
	3x1			3x1			3x1		
	3x1			3x1		3x1			
	3x1			3x1		3x1			
	3x1			3x1		3x1			
2:	x2	2)	0	2x2		2x2		1x1	
				_			1x1		
2x2 2x		ζ2	2	x2	2:	O.	1x1		
<u> </u>		2x2		2x2		1x1			
	3x2			3v2		2v2			
				3x2			3x2		
	3x2			3x2			3x2		

⁽²⁾ XL 2x2 section contains 8 2x2 Drawers and 2 1x1 Drawers.

⁽³⁾ Minimum distance L could be increased by changing the configuration of the drawer. Maximum L = 312 mm (12.28in).

^{*}Five sections per each M series unit.

Storage and traceability of bulk medications and supplies.

medDispense® V series



V series with steel doors



- Reduced product consumption and lower inventory costs.
- Control of a range of large or bulky items.
- Enhanced visibility when paired with a clear front door.

Efficient Dispensing Technology

- The pick-to-light technology makes it easier and faster to locate and dispense the selected items.
- Lights guide you to the correct:
 - Cabinet
 - Door

Large Volume Capacity

- Up to nine secure compartments per cabinet.
- Multiple products/SKUs per door.

The medDispense® V series integrates with:

C series, F series, L series and M series.



V series triple cabinet with solid doors



V series with clear doors

Security and Privacy

- · Steel frame construction.
- Clear front door or metal door options.

Configurable Cabinets

- Three standard door sizes can be mixed within one frame to optimize capacity.
- Triple cabinet option available in solid and clear doors.

Ideal for Central Pharmacy Controlled Substance Storage

Combined with the medGuard[™]
module, the V series provides a closed
loop solution for your controlled
substance management.



medDispense® System


V series





Max Unit Capacity	720	720
Unit Dimensions	Clear Door: Width: 375mm (14.8in) Depth: 524mm (20.6in) Height: 2,030mm (80in)	Steel Door: Width: 375mm (14.8in) Depth: 524mm (20.6in) Height: 2,030mm (80in)
Weight	Single Cabinet: 55kg (110lbs) Triple Cabinet: 175kgs (386lbs)	Single Cabinet: 55kg (110lbs) Triple Cabinet: 175kgs (386lbs)
Material Construction	Steel frame with polycarbonate doors.	Steel frame and metal doors.

V series **Doors** and **Storage Options**



5 types of units available, each with a specific number of compartments.

Triple Cabinet Configuration

Module	Configuration			
S1	9 large doors			
S2	18 medium doors			
S3	27 small doors			
S4	9 small doors, 6 medium doors, 3 large doors			
S5	12 small doors, 8 medium doors, 1 large door			

Steel door cabinets made in all layouts. Clear door cabinets can only be made in S2, S3, and S4 layouts.

Door Sizes

Door Size	Small	Medium	Large
Height	154mm (6.1in)	254mm (10in)	515mm (20.3in)
Width	320mm (12.6in)	320mm (12.6in)	320mm (12.6in)
Depth	480mm (19in)	480mm (19in)	480mm (19in)

Add additional capacity to secure bulk supply and other large items.

medDispense® CS series





Full height CS series with clear doors



Full height CS series with metal doors

Secure Large or Bulk Supply Items

- Configurable bins and shelves to fit an array of bulk items.
- Combine with the medGuardTM software for secure controlled substance storage.
- Metal door option adds an additional level of privacy and security.

Lighting Preferences

Interior illumination with three brightness levels.



Half height CS series with clear doors

Multiple Sizes to Flex with Storage Needs

- Provides security and capacity in a range of sizes:
- Full height and half height
- Full or compact depth



C series, F series, L series and M series.



medDispense® System

CS series









Max Unit Capacity	600	600	1,200	1,200
Unit Dimensions	Full Depth: Width: 685.8mm (27in) Depth: 711mm (28in) Height: 1,118mm (44in)* Compact: Width: 685.8mm (27in) Depth: 558.8mm (22in) Height: 1,118mm (44in)*	Full Depth: Width: 685.8mm (27in) Depth: 711mm (28in) Height: 1,118mm (44in) * Compact: Width: 685.8mm (27in) Depth: 558.8mm (22in) Height: 1,118mm (44in) *	Full Depth: Width: 685.8mm (27in) Depth: 711mm (28in) Height: 1,981mm (78in) Compact: Width: 685.8mm (27in) Depth: 558.8mm (22in) Height: 1,981mm (78in)	Full Depth: Width: 685.8mm (27in) Depth: 711mm (28in) Height: 1,981mm (78in) Compact: Width: 685.8mm (27in) Depth: 558.8mm (22in) Height: 1,981mm (78in)
Weight	73.5-84.8kgs (162-187lbs)	73.5-84.8kgs (162-187lbs)	119.7-136.1kgs (264-300lbs)	119.7-136.1kgs (264-300lbs)
Material Construction	Steel frame with polymer doors.	Steel frame and metal doors.	Steel frame with polymer doors.	Steel frame and metal doors.

^{*} Height measured up to the work surface. Add an additional 431.8mm (17in) for overbridge option.

Expand capacity while combining the security of configurable linear drawers and bulk supply storage.

medDispense® CT series











High Capacity Bulk Storage

- Store up to 1,400 items in one cabinet.
- · Credentialed access for bulk items.
- Configurable bins and shelves to fit an array of bulk items.
- Metal door option adds an additional level of privacy and security.


Multiple Sizes to Flex with Storage Needs

- Provides security and capacity in a range of sizes:
 - Full height and half height
 - Full or compact depth
 - Countertop

The medDispense® CT series integrates with:

C series, F series, L series and M series.





Full height CT series with clear doors





Matrix drawer

Drawer System

- Single wide linear.
- Double wide linear.
- Matrix drawers available in single, double and triple depth.

Lighting Preferences

• Interior illumination with three brightness levels.



Countertop CT series



Half height CT series with clear doors

Countertop Sized Dispensing Expansion

- Ideal for small countertop locations that need additional capacity.
- 112 maximum unit capacity.

High Capacity Expansion in a Smaller Footprint

- Dispense up to 800 items per unit.
- · Choice of full or compact depth.

medDispense® System

CT series







Max Unit Capacity	112	700	800	1,400	
Unit Dimensions	Width: 685.8mm (27in) Depth: 558.8mm (22in) Height: 355.6mm (14in) *	Full Depth: Width: 685.8mm (27in) Depth: 711.2mm (28in) Height: 1,118mm (44in) * Compact: Width: 685.8mm (27in) Depth: 558.8mm (22in) Height: 1,118mm (44in) *	Full Depth: Width: 685.8mm (27in) Depth: 711.2mm (28in) Height: 1,118mm (44in) * Compact: Width: 685.8mm (27in) Depth: 558.8mm (22in) Height: 1,118mm (44in) *	Full Depth: Width: 685.8mm (27in) Depth: 711.2mm (28in) Height: 1,981mm (78in) Compact: Width: 685.8mm (27in) Depth: 558.8mm (22in) Height: 1,981mm (78in)	
Weight	55.8-63.5kgs (123-140lbs)	142.9-205.5kgs (315-453lbs)	204.6-327.5kgs (451-722lbs)	248.6-376.9kgs (548-831lbs)	
Max Number of Drawers	12	30	60	60	
Material Construction	Steel frame with polymer drawers and metal doors.				

^{*} Height measured up to the work surface. Add an additional 431.8mm (17in) for overbridge option.

Construction

CT series **D**rawer and **S**torage **O**ptions

Interior Drawer Dimensions

Drawer Type	Length		Width		Height		Volume	
	mm	in	mm	in	mm	in	cm³	in³
Single Width Linear Compact	347.7	13.69	83.3	3.28	55.1	2.17	1,596.10	97.4
Single Width Linear Full Depth	500.1	19.69	83.3	3.28	55.1	2.17	2,295.83	140.1
Double Width Linear. Compact	347.7	13.69	188.0	7.40	55.1	2.17	3,601.88	219.8
Double Width Linear. Full Depth	500.1	19.69	188.0	7.40	55.1	2.17	5,919.02	316.2
1 Deep Matrix Compact	366.3	14.42	596.1	23.47	58.2	2.29	12,700	775
1 Deep Matrix Full Depth	518.7	20.42	596.1	23.47	58.2	2.29	17,976.65	1,097
2 Deep Matrix Compact	366.3	14.42	596.1	23.47	142	5.59	31,004.39	1,892
2 Deep Matrix Full Depth	518.7	20.42	596.1	23.47	142	5.59	43,901.04	2,679
3 Deep Matrix Compact	366.3	14.42	596.1	23.47	225.8	8.89	49,308.78	3,009
3 Deep Matrix Full Depth	518.7	20.42	596.1	23.47	225.8	8.89	69,825.43	4,261

Customizable capacity – from configurable linear drawers to high capacity bulk storage.

medDispense® C series





C series with clear doors and drawer system

Bulk Storage in a Smaller Frame

- Bulk storage or large items can be securely stored and dispensed.
- Configurable bins and shelves to fit an array of bulk items.
- · Comes with standard overbridge.

Drawer System

- · Single wide linear.
- Double wide linear.
- Matrix drawers available in single, double and triple depth.

Lighting Preferences

 Interior illumination with three brightness levels.



Countertop C series

The Smallest of the medDispense® Cabinets

- The compact countertop unit fits virtually anywhere.
- Ideal for areas with lower capacity needs.
- 112 maximum unit capacity.

The medDispense® C series integrates with:

CT series, CS series, F series, L series, M series and V series.

medDispense® System

C series









Max Unit Capacity	112	700	800	600	
Unit Dimensions	Width: 685.8mm (27in) Depth: 558.8mm (22in) Height: 668mm (26.25in) *	Full Depth: Width: 685.8mm (27in) Depth: 711mm (28in) Height: 1,550mm (61in) Compact: Width: 685.8mm (27in) Depth: 588.8mm (22in) Height: 1,550mm (61in)	Full Depth: Width: 685.8mm (27in) Depth: 711mm (28in) Height: 1,550mm (61in) Compact: Width: 685.8mm (27in) Depth: 588.8mm (22in) Height: 1,550mm (61in)	Full Depth: Width: 685.8mm (27in) Depth: 711.2mm (28in) Height: 1,550mm (61in) Compact: Width: 685.8mm (27in) Depth: 588.8mm (22in) Height: 1,550mm (61in)	
Weight	66-73kgs (146-162lbs)	159.2-221.8kgs (351-489lbs)	221.4kgs-344.3kgs (488-759lbs)	89.8-101.2kgs (198-223lbs)	
Max Number of Drawers	12	30	60	NA	
Material Construction	Steel frame with polymer drawers and metal doors.				

^{*} Height measured up to the top of the monitor. Add an additional 234.9mm (9.25in) for overbridge option.

medDispense® Accessories.

Equipment changes over time and our line of accessories can be added or removed to fit your application needs.



Remote Lock

Add access control for non-medDispense* storage cabinets. Remote Lock Bluetooth option.



Remote Lock with Temperature Monitoring

External refrigerator access control lock with temperature monitoring, integrated with the medLogic* software. Remote Lock Bluetooth options.



External Return Bin

Manage return medications with the external return bin that can be mounted to the overbridge. Available on the L, M, F and C series.



Return Drawer

Integrated return drawer within the drawer system providing more security around the return process. Available on C and CT series cabinets in single or double width.



Overbridge

Increase storage space for all units. Available in full height and standard height on the C, CS and CT series.



Barcode Scanner

Enhanced workflow using an integrated, wireless barcode scanner. Available on L, M, F, and C series.



Bulk Storage Bins

Available for C, CS and CT series in multiple sizes for supply locations.



Thermal Printer

Add a thermal printer for patient and dispense specific transaction receipts. Available on L, M, F, and C series.



Label Printer

Add a label printer to print medication and patient specific labels. Available on the L, M, F and C series.



Finger Print Scanner

Secured biometric system access. Comes standard on all medDispense base units.



CSA testing is approved to support global regulatory requirements.

Manufactured in ISO certified facilities.

Fast. Responsive. Courteous Service.

We are committed to providing you with consultative and responsive support throughout our partnership together.



DESIGN AND LAYOUT

Your experienced account executive will help design a system configuration that fits your specific medication storage and workflow needs.



INSTALLATION AND TRAINING

The TouchPoint Medical Professional Services team will be there every step of the way during set-up, install, training and deployment.



TECHNICAL SUPPORT

The TouchPoint Medical Technical Support team provides in-house global phone support.



COMPLEMENTARY SOFTWARE UPDATES

Complimentary software enhancements are available and announced to customers as they are released.



WARRANTY

5 year standard warranty on every cabinet.





Contact your TouchPoint Medical representative to learn more and discuss additional accessories specific to your medication management application. Visit **touchpointmed.com/contact** to get in touch with your local representative.

BRINGING CARE FORWARD.™

touchpointmed.com